

Louisiana Office of Public Health Laboratories	
Test Name	<i>Salmonella</i> Conventional PCR
PHL Location	Office of Public Health Laboratory Baton Rouge
CPT Code	83891, 83894, 83898
Synonyms	Sal, Salmonella
Brief Description of Test	Conventional PCR for – <i>Salmonella</i> spp. InvA gene
Possible Results	<i>Salmonella</i> spp. InvA gene Detected or Not Detected Inconclusive – No Culture Available for Confirmation
Reference Range	Not Detected
Specimen Type	Actively growing, pure culture inoculated in/on unexpired media preferred
Specimen Container(s):	Leak proof, screw cap slants or tubes. Do not send inoculated agar plates through the mail system.
Minimum volume accepted:	N/A
Collection Instructions	<p>Label specimen with Patient Name and a 2nd Unique Identifier such as a chart number or medical record number. DOB is not considered unique.</p> <p>Complete a LAB Form 93 to accompany the sample. Lab submission form must be thoroughly completed with patient's first and last name, 2nd patient identifier, gender, date of birth, date and time of collection, specimen source, test requested, submitter's name, address, fax and contact number. Additional information regarding patients' address is requested.</p> <p>Transport specimen to laboratory as soon as possible after collection/incubation. Keep submission forms insulated from specimens.</p>
Storage and Transport Instructions	Store and transport under ambient conditions. Send sample to the Office of Public Health Laboratory Baton Rouge, 1209 Leesville Avenue, Baton Rouge, LA 70802
Causes for Rejection	Two unique identifiers MUST be recorded on the specimen AND the Lab 93 form. A missing identifier on the tube will be an automatic rejection. If the identifiers are missing from the lab form, the submitter must be contacted and a new form with this information must be faxed back to the lab before testing/reporting will take place.

Limitations of the Procedure	PCR results should not be used as a sole test for sample identification.
Interfering Substances	N/A for direct culture testing
References	K. Rahn et al. 1992. Amplification of an <i>invA</i> gene sequence of <i>Salmonella typhimurium</i> by polymerase chain reaction as a specific method of detection of <i>Salmonella</i> . Molecular and Cellular Probes 6:271-279
Additional Information	Primers for Salmonella InvA gene detection were developed by Rahn et al 1992. Assay performance characteristics have been determined by the Louisiana Office of Public Health Central Lab. This test has not been cleared or approved by the U.S. Food and Drug Administration.
Release Date	3/15/2016
Warning: If you have printed a copy of this information please be advised that the Louisiana Office of Public Health Laboratories website and methods are updated on a regular basis. Please check the on-line version of this document to ensure you are relying on the most recent release.	